

Pillandriaceen-Bestandsliste 1974

achyrostachys	Mex.
achyrostachys var. stenolepis	Mex.
acosta - solisii	Ecu.
adpressiflora - Venezuela	
aequatorialis	Ecu.
aeranthos major (dura - Burk/62)	Arg.
aeranthos minor	Arg.
aeranthos - griseus	Arg.
aeranthos nana	Arg.
aeranthos alba, weich, schmal	
aeris-incola	Bras.Venez.
aizoides	Boliv.
albertiana 2 Ver.	Arg.
albida	Mex.
albida, breit weich	Mex.
anceps	Ecu.
andicola	Peru
andrieuxii	Mex.
) angulosa	Arg.
apariciana	Bras.
araujei	Bras.
arequitae	Uruq.

argentea, breite Blätter	Mex.
argentea, schmale Blätter	Mex.
argentina (unca)	Arg.
atroviridipetala	Mex.
atroviridipetala major.	Mex.
✓ aurea	Peru
✓ auro-brunea, klein, grau	Peru
aureo-brunea, groß	Peru

Baileyi nana	
baileyi major (conica)	Mex.
balbisiana	Mex.
bandensis	
barclayana	Peru
benthamiana weisse Blüte	Mex.
bergeri	Arg.
biflora	ecu.
blassii	ecu.
boliviensis	Bol.
bourgaei	Mex.
brachycaulos, steifblättrig	Mex.
brachycaulos, gigantea	Mex.
brachycaulos, flamma	Mex.
brachycaulos, bradeana	Mex.
brachyphylla (rosea)	Bras.
bryoides	Peru
bulbosa klein	Mex.
bulbosa groß	Mex.
bulbosa elongata	Br. Guayana
bulbosa violett	Col.
butzii (variegata)	Mex.

<i>cacticola</i>	Peru
<i>Caerulea</i>	Peru, Ecu.
<i>caespitosa?</i>	
<i>calocephala</i> (119, 119 A)	Peru
<i>candelifera</i>	Salvador
<i>capilaris</i>	Arg.
<i>capitata bronze</i>	Cuba
<i>capitata</i> var. <i>gümanioides</i>	Mex.
<i>capitata</i> rot, Mex. Paz. Küste	Mex.
<i>caput - medusae</i>	Mex.
<i>caput - medusae</i> , schmal, rot einührig	Salv.
<i>caput - medusae</i> groß	Mex.
<i>cardenasii</i>	Bol.
<i>carlsoniae</i>	Mex.
<i>caulescens</i>	Peru/Guayana/Bras.
<i>cauligera</i>	Peru
<i>cereicola</i>	Peru
<i>chastophylla</i>	Mex.
" <i>grisea</i>	Mex.
" <i>najor</i>	Mex.
<i>chontalensis</i>	Mex.
<i>circinnaticoides</i>	Mex.
<i>circinata</i> <i>najor</i>	Mex.
<i>circinata</i> <i>alba</i>	Salv.

comixta	Ecu.
compacta ?	Venez.
complanata	Ecu.
complanata nana violett	Peru
concolor einährig	Mex.
concolor mehrährig	Mex.
confertiflora	Ecu.
confinis	Peru
cornuta	Ecu.
crispa	Ecu.
) crocata	Arg.
) crocata dunkelbraune Blüten	Bol.
cryptopoda	Salv.
cyanea	Ecu.
cylindrica	Ecu.
cuculata	Peru

<i>dasyrillifolia</i>	Mex.
<i>decomposita</i>	ARG.
<i>aff. denudata ?</i>	Peru
<i>dependens ?</i>	Peru
<i>diaguitensis</i>	ARG.
<i>didisticha</i>	Bol.
<i>didisticha nana, einjährig</i>	ARG.
<i>disticha, grau-weiße Form</i>	Peru
<i>disticha var. viridifolia</i>	Ecu.
<i>disticha major</i>	Peru
<i>dura</i>	Bras.
<i>durati</i>	ARG.
<i>dyeriana</i>	Ecu.

<i>ebracteata</i>	Peru
<i>ecarinata</i>	Peru
<i>edithae</i>	Bol.
<i>ehrenbergii</i>	Mex.
<i>elongyata</i>	Venez.
<i>erecta</i>	Arg.
<i>espinosa klein</i>	Peru
<i>espinosa</i>	Ecu.
<i>espinosa beschuppt</i>	Peru
<i>esseriana</i>	Para.
<i>exserta</i>	Mex.
<i>fasciculata compressa grün</i>	Salv.
<i>fasciculata var. latispicia</i>	Salv.
<i>fasciculata latispicia einährig</i>	Mex.
<i>fasciculata var. densispica alba</i>	Mex.
<i>fasciculata, compressa alba</i>	Salv.
<i>fasciculata, mirador alba steif</i>	Mex.
<i>fasciculata, steif weiß/rot</i>	Mex.
<i>fasciculata, weiß weich</i>	Mex.
<i>fasciculata, var. densispica</i>	Mex.

<i>fendleri</i> var. <i>reducta</i>	Venez.
<i>foetucoides</i>	Mex.
<i>filifolia</i>	Mex.
<i>flabellata</i> var. <i>rubella</i>	Salv.
<i>flabellata</i> var. <i>viridifolia</i>	Salv.
<i>flexuosa</i> major	Fr. Guayana
<i>flexuosa</i> stark gedreht	Venez.
<i>flexuosa</i> nana	Venez.
<i>flexuosa</i> stark gebändert	Col.
<i>flexuosa</i> rötlich	Col.
<i>floribunda</i> (1/29)	Peru
<i>floribunda</i> aff. <i>juncosa</i>	Peru
<i>fraseri</i>	Peru
<i>friesii</i>	Arg.
<i>fundebriis</i>	Arg.
<i>gardneri</i>	Braz.
<i>gardneri</i> schmal	Venez.
<i>Gayi</i>	Peru
<i>geminiflora</i>	Braz.
<i>geminiflora</i> incana	Braz.

gilliesii	ARG.
glauca	Peru
globosa	Bras.
grandis	Mex.
guatemalensis	Salv.
guatemalensis major	Salv.
guanacastensis	Salv.
gynobotrya	Mex.
hamaeana	Cu.
heteromorpha	Peru
heterophylla	Rut/Mex/7
Humilis	Peru

<i>ignescens</i>	Mex.
<i>imperialis</i>	Mex.
<i>incarnata</i>	Ecu.
<i>insularis</i> (Galapagos)	Ecu.
<i>intumescens</i>	Mex.
<i>ixioides</i>	Bol.
<i>ixioides</i> var. <i>occidentalis</i>	Bol.
<i>jonantha</i>	Mex.
<i>jonantha</i> , var. <i>Hynningii</i>	Mex.
<i>jonantha</i> , cerro var. <i>verde scaposa</i>	Salv.
<i>jonantha</i> (Haselmuß)	Mex.
<i>jonantha</i> , Ixtapan	Mex.
<i>jonantha</i> bräunlich	Mex.
<i>jonantha</i> silbrig	C. Rica
<i>jonochroma</i>	Peru
<i>juncea</i>	Mex/Col/Peru
<i>juvunda</i>	Arg.

karwinskyana	Mex.
kirchhoffiana	Mex.
kegeliana	Venez.
lanpropoda	Mex.
lanuginosa	ARG.
latifolia major (in Kultur grün)	Peru
latifolia grisea, mittel, grau-silbrig	Peru
latifolia minor, klein grau	Peru
latifolia mittel, silbr. gelbl. grün	Peru
latifolia groß, hellgrün	Bol.
latifolia divaricata	Peru/Ecu.
latifolia divaricata alba	Peru
latifolia divaricata breit, weich caules.	Ecu.
latifolia var. leucophylla	Peru
leiboldiana (griesebachiana)	Mex.
leiboldiana var. guttata	Guayana
lepidosepala	Mex.
leucolepis	Mex.

<i>lindenii</i>	Ecu.
<i>lindenii</i> var. <i>luxurians</i>	Ecu.
<i>lindearis</i>	Bras.
<i>loliacea</i>	Par.
<i>loliacea</i> , groß	Peru
<i>lorentsiana</i> groß steif	Bol.
<i>lorentsiana</i> breit weiß, kurz	Par.
<i>lorentsiana</i> weiß, lang	Par.
<i>lorentsiana</i> schmal, lang, silbrig	Bol.
<i>lorentsiana</i> var. <i>simplex</i> , schmal blaue Blüte	Bol.
<i>macbrideana</i>	B/Peru/73
<i>macdougalli</i>	Mex.
<i>magnusiana</i>	Mex.
<i>makeyana</i> , steife Blätter	Mex.
<i>malleontii</i>	Bras.
<i>matudae</i>	Mex.
<i>mauryana</i>	Mex.
<i>maxima</i>	Arg.
<i>meridionalis</i> major	Peru
<i>meridionalis</i> klein, grau	Arg.

acutifolia	Ecu.
montana	Bras.
neoreana	Peru
multicaulis	Salv/Mex.
multiflora var. tomensis	Peru
nyosura	Arg./Bol.

nana	Peru
narthecioides	Ecu.
nubis	Ecu.
nuptialis	Bras.

oaxacana	Mex.
olmosana (?)	Peru
oreogenes	Salv/Mex.
oriandiana ?	
oreyensis	Peru
ortgiesiana	Mex.

<i>paleacea</i> kurz gedrungen	Peru
<i>paleacea</i> , Großform	Peru
<i>paleacea</i> , weich lang	Peru
<i>paleacea</i> , weich, schmal, klein	Peru
<i>pallidoflavens</i>	Peru/Ecu.
<i>paraensis</i> , Bolibien-Typ	Bol.
<i>paraensis</i> , Peru-Typ, steif/weißl.	Peru
<i>paraensis</i> , grüner Typ, centro-Amerika	
<i>paraensis</i> Kuhn. <i>parviflora</i>	Peru
<i>paraensis</i> , Brasil-Typ.	Peru/Bras.
<i>pardina</i>	Peru/Ecu.
<i>parviflora</i> (= <i>heberbauerii</i>)	Ecu.
<i>pastensis</i>	Ecu.
aff. <i>patula</i>	Peru
<i>pedicellata</i> (<i>bryoides</i>)	Peru
<i>peiranoi</i>	Arg.
<i>peiranoi grandis</i>	Arg.
<i>pendulispica</i>	Peru
<i>petraea</i>	Ecu.
<i>pilosa</i>	Bol.
<i>plagiotropica</i>	Bol.
<i>plumosa</i>	Mex.
<i>poenulata</i>	Bras.
<i>pohliana</i>	Bras.

<i>polita</i>	Salv/Mex.
<i>polystachia</i>	Bras.
<i>polystachia</i>	ecu.
<i>ponderosa</i>	Salv.
<i>prodigiosa</i>	Mex.
<i>pruinosa</i> Mex-Typ	Mex.
<i>pruinosa</i> Costa-Rica-Typ	C.Rica
<i>pruinosa</i> Columb-Typ	Col.
<i>pueblensis</i>	Mex.
<i>pueblensis</i> , starr Mex.	Mex.
<i>pueblensis</i> var. <i>glabior</i>	Mex.
<i>pugiformis</i>	ecu.
<i>pulchella pulchella</i>	Bras.
<i>pulchella</i> surinamensis	Bras.
<i>pulchella</i> , var. <i>saxicola</i>	
<i>pulchella</i> <i>vaginata</i>	Bras.
<i>pulchella</i>	Bras.
<i>punctulata</i>	Mex.
<i>punctulata</i> <i>brunea</i>	
<i>purpurea</i>	Peru
<i>pussilla</i>	ARG.

rauhii	Peru
rectangula	Arg.
recurvata	Ecu/Peru
remota	Mex.
retorta	Arg.
rhodosticta	Ecu.
ropalocarpa	Peru/Ecu.
rosea	Bras.
rodriguesiana	Mex.
rubra	Peru
rutschmannii	Ecu

sagastegui	Peru
schiedeana minor	Mex.
schiedeana major	Mex.
schiedeana minor, rot blühend	Mex.
schreiterii	Arg.
secunda	Ecu.
seemanni	Peru
selleriana Mex-Typ groß, hellgrün	Mex.
selleriana Salvador-Typ, klein, dunkelgrün	
setacea	
sinulata	

<i>scandians</i>	Peru
<i>sphaerocephala</i>	Bol.
<i>spiculosa</i>	Col.
<i>sprengeliana</i>	Bras.
<i>standleyi</i>	Mex.
<i>stenoglossa</i>	Venez.
<i>straminea</i> weich	Peru
<i>straminea</i> steif	Peru
<i>straminea</i>	Ecu.
<i>streptocarpa</i>	Bol.
<i>streptocarpa</i> weisse Blüte	Bol.
<i>streptocarpa</i> - <i>tectorum</i> ?	Bras.
<i>streptophylla</i>	Mex.
<i>streptophylla</i> nana	Mex.
<i>stricta</i> weich	Bras.
<i>stricta</i> , steiflich silbrig-grün	Bras.
<i>stricta</i> , weich, groß, dkl-grün, sehr dkl. Blüte	Par.
<i>stricta</i> , starr, hellgrün, Chiapas	Bras.
<i>stricta</i> , starr, weiss	Par.
<i>stricta</i> , klein	Bras.
<i>stricta</i> , groß	Par.
<i>subulifera</i>	Ecu.
<i>subinflata</i>	Mex.

subconcolor	Peru
sucrei	Bras.
tacerum	
tecterum nana	
teres	Peru
tethrantha	
tethrantha var. aurantiaca	
tricholepis, dicht, nardioides	
tricholepis, locker, Blätter länger	
Tricolor	
tricolor var. melanoerater	
tricolor var. picta	
triglochinoïdes Peru-Typ, weiß	
triglochinoïdes Peru-Typ, rötlich	
triticea	
triticea var. ustulata	
tucumanensis blaue Blüte	
tucumanensis weiße Blüte	

usneoides var. robusta Mex.

usneoides var. longissima

usneoides var. fliformis

utriculata

valensuelana

venusta

C. Rica

verniosa

vicentina

violacea

violascens

wagneriana

waltheri

werdermanni

xerographica

xiphioides

junkerii