

Nat

FANTASTIC GARDENS
 9550 S. W. 67th. Avenue
 Miami, Florida 33156

1964 BROMELIAD LIST

We are pleased to present our latest listing of Bromeliads. The present list contains over 300 species and hybrids, and still does not contain all of our hybrids. These will be listed as they come into flower and we can describe their characteristics. Because of the great number of requests for an up-to-date list we have had to omit descriptions of all plants in the interest of saving time in the preparation of this list.

However, Bob and Catherine Wilson have written an excellent book - "BROMELIADS IN CULTIVATION" (Vol. I) which has descriptions of the species in the genera Abromeitiella through Greigia. Some hybrids are mentioned, and more will be covered in Volume II, as will the rest of the genera in the family. We have this book available at \$6.50 plus 25¢ continental U.S. postage - or \$1.00 for overseas mail (boat mail).

In addition to the most extensive Bromeliad list in America, we are also offering a few selected supplies for the Bromeliad grower -- pot hangers, tree-fern pots, shredded tree-fern, and plastic tubing for covering galvanized wire to prevent leaf-burn. These items are listed separately at the end of the plant list. Plants marked * are in short supply. Please write for available sizes before ordering.

| | <u>small</u> | <u>medium</u> | <u>large</u> | <u>specimen & flowering</u> |
|---------------------------------|--------------|---------------|--------------|---------------------------------|
| ABROMEITIELA specie | | 7.50 | | |
| ACANTHOSTAYCHYS strobilacea | 2.00 | | | |
| AECHMEA species | | | | |
| angustifolia | 1.25 | 2.00 | 3.00 | |
| blumenavia | 2.50 | 3.50 | 4.50 | |
| bracteata | 2.50 | | 7.50-10.00 | 12.50 & up |
| var. rubra - - - - - | 3.50 | | 10.00-12.50 | 15.00 & up |
| bromeliifolia | 1.50 | 2.50 | 4.50 | |
| var. rubra | 2.25 | 3.75 | 6.75 | |
| calyculata | 2.00 | 3.00 | 4.50 | |
| caudata var. variegata | 2.50 | 3.50 | | |
| chantinii (seedlings) | 2.50 | 3.50 | 5.00 | |
| (offsets of selected plants) | | | 7.50 | 10.00 & up |
| (established collected plant) | | | 10.00 | |
| var. 'Pink Goddess' (seedlings) | 4.50 | 8.50 | 15.00 | 25.00 |
| (offsets) | 7.50 | | | |
| coelestis - - - - - | | | 2.50 | |
| var. marginata (choice)* | | | 10.00 | |
| comata | 1.50 | 2.50 | 5.00 | |
| conglomerata (very rare) | 3.50 | 5.00 | | |
| cylindrata--short form | 3.50 | 5.00 | | |
| tall form | 3.50 | 5.00 | | |
| dactylina | 2.50 | 5.00 | 7.50 | |
| dealbata - - - - - | 2.50 | 5.00 | | |
| disticantha var. canaliculata | 2.50 | 3.50 | | |
| var. schlumbergeri | | 2.50 | 5.00 | |
| dichlamydea var. trinitensis | | 3.50 | 5.00- 7.50 | |
| fasciata | 2.00 | 5.00 | 7.50 | |
| selected varieties - solid | | | | |
| color or well-banded | | 6.00 | 8.50 | |
| var. purpurea - - - - - | 1.50 | 3.50 | 5.00 | |

| AECHMEA species (continued) | small | medium | large | specimen & flowering |
|--|-------|------------|------------|----------------------|
| filicaulis - - - - - | 2.00 | 3.00 | 5.00 | |
| var. rubra | 2.50 | 3.50 | 6.50 | |
| fosteriana | 2.50 | 3.50 | 5.00 | |
| fulgens var. fulgens | 2.00 | 3.50 | 5.00 | |
| var. discolor | 2.00 | 3.50 | 5.00 | |
| var. discolor 'Magnificent' | | | | |
| Hardier to cold than regular form | 3.00 | 4.50 | 7.50 | |
| gracilis - - - - - | 2.50 | 3.50 | 5.00- 7.50 | |
| lamarchei (extended stem type) | 2.50 | 3.50 | 5.00- 7.50 | |
| var. rubra (short stem - reddish leaves) | 2.50 | 3.50 | 5.00- 7.50 | |
| luddemanniana | 1.50 | 2.25 | 3.50 | |
| mariae-regina | 1.50 | 2.50 | 5.00-15.00 | |
| marmorata | 2.00 | 2.50 | 3.50- 4.50 | |
| mertensii | 1.00 | 1.50 | 3.50 | |
| mexicana - - - - - | 1.50 | 2.50 | 5.00- 7.50 | |
| miniata var. discolor | 1.50 | 2.50 | 3.50 | |
| nidularioides | 4.00 | 7.50 | | |
| nudicaulis var. nudicaulis | 1.00 | | 1.75 | |
| var. aureo-rosea | 1.00 | | 1.75 | |
| var. cuspidata | 1.00 | | 1.75 | |
| orlandiana - - - - - | 1.50 | 2.00- 3.50 | 4.50 | 7.50 & up |
| ornata (limited supply) | 2.50 | | 5.00 | |
| pectinata | 3.00 | 4.50 | | |
| penduliflora | 1.50 | 2.50 | 3.50 | |
| pineliana (large growing type) | 1.50 | 2.50 | 4.50 | |
| var. minuta | 1.50 | 2.50 | 4.50 | |
| pimenti-velosoi (limited supply) | 2.50 | | | |
| pittieri (Seedlings) | 2.50 | | | |
| pubescens - - - - - | 1.50 | 2.50 | 3.50 | |
| var. rubra | 2.00 | 3.00 | 4.50 | |
| purpureo-rosea | 2.00 | 3.50 | 5.00 | |
| racinae | 1.50 | 2.00 | 2.50 | |
| ramosa | | | 5.00- 7.50 | |
| recurvata var. benrathii | 2.50 | 3.50 | 5.00 | |
| var. ortgiesii | 2.50 | 3.50 | 5.00 | |
| setigera - - - - - | 2.50 | 3.50 | 5.00- 7.50 | |
| tessmannii | 2.50 | 3.50 | 5.00- 7.50 | |
| tillandsioides var. kienastii | 1.00 | 1.50 | 2.00 | 2.50 & up |
| weilbachii var. weilbachii | 1.50 | 2.50 | | |
| var. leodinansis (rubra) | 1.50 | 2.50 | 3.50 | |

AECHMEA hybrids

| | | | | |
|-----------------------------------|------|-------|------|-----------|
| 'Bert'* | 2.50 | 4.00 | | |
| 'Burgundy' | | 10.00 | | |
| 'Foster's Favorite - - - - - | .75 | 1.25 | 2.00 | 2.50 & up |
| 'Maginalli' | 1.75 | 2.50 | 3.50 | |
| 'Nallii' | 2.50 | 3.50 | 5.00 | |
| 'Royal Wine' | 2.00 | 2.75 | 4.50 | |
| bigeneric lasseri hybrid (neomea) | | 3.50 | 5.00 | |
| Ae. calyculata X Ae. miniata | | | | |
| var. discolor | 2.25 | 3.75 | 5.00 | |
| Ae. calyculata X Ae. recurvata | | | | |
| var. ortgiesii | 2.50 | 3.50 | 5.00 | |
| Ae. comata X Ae. 'Nallii' | 2.00 | 3.00 | 4.50 | |
| Ae. nudicaulis X Ae. Fasciata | 2.00 | 3.00 | 4.50 | |
| disticantha hybrids | 1.25 | 2.50 | 3.50 | |

| | small | medium | large | specimen & flowering |
|---|-----------------------|-------------------|---------------|----------------------|
| ANNANAS species | | | | |
| ananassoides - - - - - | 3.50 | 5.00 | | |
| bracteatus | 1.50 | 2.50 | 5.00 | 7.50 & up |
| var. striatus | 15.00 | | 25.00 | |
| comosus var. variegatus | on special order only | | | |
| erectifolius * | 15.00 | | | |
| nanus - - - - - | 3.50 | | 7.50 | |
| ANDROLEPIS skinneri * | | 7.50 | | |
| AREOCOCCUS flagellifolius | 1.50 | 2.50 | | |
| BILLBERGIA species | | | | |
| alfonsi-joannis (?) | 2.50 | 4.50 | | |
| amoena var. amoena (limited supply) | | 3.50 | | |
| var. minor (buchholtzii) | | | 2.00 | |
| var. rubra | 2.00 | | 3.50 | |
| var. viridis (limited) | 3.50 | 5.00 | 7.50 | |
| brasiliensis - - - - - | 1.50 | 3.00 | 5.00- 7.50 | |
| buchholtzii (see amoena var. minor) | | | | |
| chiapensis | 1.50 | 3.00 | | |
| distachia | | | 1.50 | 2.50 & up |
| var. rubra | | 1.50 | 2.50 | |
| elegans (sanderiana) | 1.50 | 2.50 | 5.00 | |
| euphemiae - - - - - | | | 1.25 (mature) | |
| var. purpurea | | 5.00 | | |
| fosteriana * | 2.00 | 3.50 | 7.50 | |
| horrida | | 1.50 | 2.25 | |
| var. tigrina * | | 1.75 | 2.50 | |
| iridifolia | 1.00 | each - 6 for 5.00 | | |
| letopoda (few spots) | 1.50 | | 2.00 | |
| lietzii - - - - - | | mature | 2.00 | |
| macrolepis (previously listed as specie from Columbia) | 1.50 | 2.00 | | |
| meyeri | 1.50 | 2.50 | 5.00 | |
| minarum (rare) | 2.00 | 3.50 | 7.50 | |
| nutans | | mature | 1.00 | |
| nutans (dwarf growing type) | 1.50 | | | |
| var. schimperiana | | 3.50 | | |
| pallidiflora - - - - - | 1.50 | 2.25 | | |
| porteana (see Bill. zebrina) | | | | |
| pyramidalis var. pyramidalis | .75 | 1.00 | 1.50 | |
| var. striata | | 2.50 | 3.50 | |
| reichardtii | 2.00 | 3.50 | | |
| sanderiana (see Bill. elegans) | | | | |
| saundersii - - - - - | | 1.00 | 1.50 | |
| venezualana | | 5.00 | 7.50 | 10.00 |
| vittata | 2.50 | 5.00 | | |
| zebrina (previously listed as Bill. porteana) | 2.00 | 3.50 | | |
| BILLBERGIA hybrids | | | | |
| 'Alberti' - - - - - | 1.00 | 1.50 | 2.50 | |
| 'Catherine Wilson' | 1.00 | 1.50 | 2.50 | |
| 'Christmas Special' | | 1.50 | 3.00 | |
| 'Eipper' | 1.00 | 1.50 | | |
| 'Escaffer' | 1.50 | 2.50 | 3.50 | |
| 'Fantasia' | .75 | 1.50 | 2.50 | |
| 'Gothensis' - - - - - | | mature | 1.50 | |

| | small | medium | large | specimen & flowering |
|---------------------------------------|-------|-----------|-----------|-------------------------|
| BILLBERGIA hybrids (continued) | | | | |
| 'Henry Tuescher' - - - - - | 1.50 | 3.50 | 7.50 | |
| 'Muriel Waterman' | 3.50 | | | |
| 'Platinum' (horticultural name) | 1.50 | 2.00 | | |
| 'Santa Barbara' | 1.50 | 2.50 | 3.50 | |
| 'Windii' | 1.50 | 2.50 | 3.50 | |
| 'Pixie' 6 small for 3.50 | .75 | | 1.25 | |
| horrida types - - - - - | 1.00 | | 2.50 | |
| leptopoda types (with many spots) | 1.50 | 2.50 | 5.00 | |
| saundersii types | | 1.00 | 1.50 | |
| vittata types | 1.00 | 1.50 | 2.50 | |
| amoena var. rubra X vittata | 1.50 | 2.50 | 4.50 | |
| amoena var. rubra X horrida | 1.50 | 2.50 | 4.50 | |
| BROMELIA | | | | |
| humilis * | 7.50 | | | |
| pinguin (no mail order on large size) | 5.00 | | 10.00 | |
| CANISTRUM | | | | |
| fosterianum * - - - - - | 3.00 | 5.00 | | |
| lindeni var. lindeni | | 2.50 | 4.50 | |
| var. rosea | | | | on special order only |
| CATOPSIS | | | | |
| berteroniana | | 2.00 | | |
| nutans | | 1.50 | | |
| sp. from Mexico - - - - - | 1.00 | 1.50 | 2.50 | |
| CRYPTANTHUS species | | | | |
| acaulis var. argenteus 4 for | 1.00 | | | |
| var. ruber 4 for | 1.00 | | | |
| bahianus 3 for | 1.00 | | | |
| beuckeri 2 for | 1.25 | | | |
| bivittattus (rosea-picta) 3 for | 1.00 | | | |
| var. luddemannianii | | 2.50 | 3.50 | |
| bromelioides var. tricolor 2 for | 1.00 | | | specimens 2.50 |
| sp. 'Cafe au Lait' | .60 | 1.00 | | |
| sp. 'Cascade' (trailing habit) | | 1.50-2.50 | | |
| diversifolius | | 1.50 | | |
| fosterianus - - - - - | | 1.50 | 2.50 | |
| lacerdae 2 for | 1.00 | 1.00 | | |
| racenii | 2.50 | | | |
| zonatus forma fusca | | .60 | | |
| forma viridis | | 1.25 | 2.50 | |
| var. zonatus | | 1.00 | | |
| 'Zebrinus' very bright bands | | | 2.50 | |
| CRYPTANTHUS hybrids | | | | |
| 'It' - - - - - | | 15.00 | | |
| 'Osyanus' | 1.25 | 1.75 | | |
| unnamed hybrids - our selection | | | | |
| 5 different plants | 3.00 | | | |
| 5 different-choice types | 6.00 | | | |
| 10 different-choice types | 10.00 | | | |
| CRYPTBERGIA X Rubra | | .75 | 1.00 | |
| DYCKIA | | | | |
| altissimum | | 1.25 | | |
| brevifolia (sulphurea) | .75 | 1.25 | 1.50 & up | |
| fosteriana | | 1.50-2.00 | 3.50 | |
| leptostachya | .75 | 1.25 | 1.50 & up | |

| | small | medium | large | specimen & flowering |
|---|-----------|-----------|------------|----------------------|
| DYCKIA (continued) | | | | |
| rariflora - - - - - | 1.50 | 2.50 | 3.50 | |
| X 'Lad Cutak' selfed | | 1.50 | | |
| FOSTERELLA penduliflora | 1.00 | | 2.50 | |
| GRAVISIA | | | | |
| aquilegia | | 7.50 | 12.50 | |
| fosteriana | | 7.50 | 12.50 | |
| GUZMANIA | | | | |
| cardinalis - - - - - | 1.50 | 2.50 | | |
| cryptantha (danielli) | | 7.50 | 12.50 | |
| donnell-smithii | | 5.00 | 7.50 | |
| hitchcockiana * | | 5.00 | 7.50 | |
| lingulata (Ecuador) | 5.00 | 7.50 | 10.00 | |
| (Jamaica) | | | 7.50 | |
| var. flammea * | | 7.50 | | 12.50 in flower |
| var. minor | 3.50 | 5.00 | | |
| var. 'Peacocki' | 3.50 | 5.00 | | |
| monostachya - - - - - | | 2.00 | 3.00 | |
| monostachya--red bract form | 3.50 | 5.00 | | |
| musaica var. zebrina | 3.50 | 5.00 | 7.50-10.00 | |
| nicaraguensis | 2.50 | 3.50 | 5.00 | |
| patula | 1.25 | 2.50 | 3.50 | |
| sanguinea (very rare and in limited supply) | | 5.00 | | |
| zahnii | 2.00 | 2.75 | 4.50 | 7.50 |
| Specie #2 (seedlings) | 1.50 | 2.50 | | |
| X 'Magnifica' | 1.75 | 3.50 | | |
| HECHTIA | | | | |
| meziana (seedlings) | 1.00 | 1.50 | | |
| rosea | 1.00 | 1.50-5.00 | | |
| texensis - - - - - | | 1.50 | 4.50 | |
| HOHENBERGIA | | | | |
| penduliflora | 2.50 | 3.50 | 5.00 | |
| ridleyi | 2.50 | 3.50 | | |
| stellata | 3.50 | 5.00 | 7.50-10.00 | 15.00 |
| NEOREGELIA species | | | | |
| albiflora - - - - - | 1.50-2.50 | | | |
| ampullacea | .75 | | 1.35 | |
| var. tigrina * | | 3.50 | | |
| carchorodon | 1.25 | 2.50 | 4.50 | |
| carolinae | 2.00 | 3.50 | 5.00 | |
| carolinae--selected form broader leaves w/reddish color | 3.00 | 4.50 | 7.50 | |
| var. tricolor | | 5.00 | 7.50 | |
| var. 'Marechallii' | 1.75 | | | |
| cruenta - - - - - | 1.50 | 3.50 | | |
| cruenta--bronze form | 2.00 | 4.50 | | |
| cyanea | | 2.50 | | |
| eleutheropetala | 1.50 | 2.50 | 4.50 | |
| var. bicolor | 2.50 | 3.50 | 6.00 | |
| johannis | | 2.50 | | |
| leucophloea - - - - - | | 4.50 | | |
| macrosepala | 5.00 | 10.00 | 15.00 | |
| marmorata | 1.50 | 2.50 | 3.50 | |
| mooreana (previously listed as Neo. ossifragi) | | 2.50 | 3.50 | |

| NEOREGELIA species (continued) | small | medium | large | specimen & flowering |
|----------------------------------|-------|-----------|-----------|----------------------|
| olens - - - - - | 2.00 | 3.50 | 5.00 | |
| princeps (possibly a hybrid) | 2.50 | 3.50-5.00 | 6.50 | |
| pineliana | 3.50 | 5.00 | | |
| sarmentosa var. chlorosticta | | 5.00 | | |
| spectabilis | 1.50 | 2.50 | 3.50 | |
| wilsoniana | 1.50 | 2.50 | 3.50 | |
| zonatus - - - - - | 2.00 | | 3.00 | |
| sp. (possibly Neo. aggratum) | | 2.50 | | |
| NEOREGELIA hybrids | | | | |
| 'Catherine Wilson' | 3.50 | 5.00 | | |
| 'Morrisoniana' selfed | 1.50 | 2.50 | 3.50 | |
| macrosepala hybrid | 3.50 | 6.00 | 10.00 | |
| marmorata hybrids - - - - - | 1.25 | 2.00 | 2.75 | |
| spectabilis hybrids | 1.25 | 2.00 | 2.75 | |
| carolinae hybrid | 2.00 | 3.00 | 4.50 | |
| NIDULARIUM | | | | |
| billbergioides var. citrinum | 2.00 | 2.50 | 3.50 | 5.00 flowering |
| burchellii | 2.00 | 2.50 | 3.50 | |
| innocentii var. innocentii | 3.00 | 5.00 | 7.50 | |
| var. striatum | 3.00 | 5.00 | 7.50 | |
| var. wittmackianum | 3.00 | 5.00 | 7.50 | |
| procerum - - - - - | | 5.00 | | |
| var. kermesianum | | 5.00 | | |
| X 'Sao Paulo' Selfed | 2.00 | | | |
| purpureum | 3.00 | 5.00 | 7.50 | |
| regelioides | 2.50 | 5.00 | | |
| scheremetiewii (? apiculatum) | 3.00 | 5.00 | 7.50 | |
| ORTHOPHYTUM | | | | |
| fosterianum - - - - - | | 5.00 | | |
| navioides | 5.00 | 7.50 | | |
| saxicola | | 5.00 | | |
| vagans | 3.50 | 5.00 | 7.50 | |
| PITCAIRNIA | | | | |
| andreana - - - - - | | 1.50 | | |
| chiapensis | | 2.50 | | |
| coerulea | | 1.50 | | |
| corallina (choice) | 5.00 | 7.50 | 10.00 | |
| flammea | | 2.00 | | |
| heterophylla - white | | 2.50 | | |
| - pink | | 2.50 | | |
| - red | | 2.50 | | |
| imbricata - - - - - | | 1.50 | | |
| paniculata | | 2.50 | | |
| platyphylla | | 1.50 | | |
| roezlii | | 2.50 | | |
| PORTEA | | | | |
| kermesina - - - - - | | 10.00 | | |
| leptantha | 2.00 | 4.50 | 7.50 & up | |
| petroplitiana var. petroplitiana | 2.00 | 4.50 | 7.50 & up | |
| var. extensa | 2.00 | 4.50 | 7.50 & up | |
| PSEUDANANUS sagenarius | 2.50 | 3.50 | 5.00 | |
| QUESNELIA | | | | |
| arvensis - - - - - | 1.50 | 3.00 | 5.00 & up | |
| humilis | 1.25 | 2.00 | 2.75 | 3.50 |
| lateralis | | 3.50 | | |

| | <u>small</u> | <u>medium</u> | <u>large</u> | <u>specimen & flowering</u> |
|-----------------------------------|--------------|---------------|---------------|-------------------------------------|
| QUESNELIA (continued) | | | | |
| liboniana | 1.25 | 2.00 | | |
| quesnelia (salt tolerant) | | 4.50 | 7.50 & up | |
| testudo | 1.50 | 3.50 | 5.00 | 7.50 |
| RONNBERGIA | | | | |
| columbiana | 1.50 | 2.50 | | |
| morreniana * | 10.00 | | | |
| STREPTOCALYX | | | | |
| longifolia - - - - - | | 5.00 | | |
| poepigii | 1.50 | 3.50 | 6.50 & up | |
| TILLANDSIA | | | | |
| anceps | 2.00 | 3.00 | | |
| baileyi | 2.00 | 3.50 & up | | |
| brachycaulis - - - - - | | 5.00 | 7.50 (mature) | |
| bulbosa | 1.50 | clusters- | 3.50 & up | |
| butzei | | 2.50 | 3.50 & up | |
| balbisiana | 2.00 | 3.50 & up | | |
| capitata * | | 10.00 | | |
| caput-medusae - - - - - | 2.00 | 3.50 | 4.50 & up | |
| cyanea | | 5.00 | | |
| fasciculata - white | | 2.00 | | |
| - yellow | | 3.50 | | |
| flexuosa (syn.--Tilla. aloifolia) | 1.50 | 2.00 | 3.50 & up | |
| geminiflora | | 3.50 & up | | |
| ionanthe - - - - - | .75 | 1.50 | 2.50 & up | |
| ionanthe--strict form | 2.50 | | | |
| karwinskiana | | 3.50 | | |
| lindenii | | 7.50 | | |
| pruinosa | 1.25 | | | |
| polystachya | | 2.50 | | |
| recurvata | | 3.50 | | |
| schiediana - - - - - | | 2.00 | | |
| seleriana | | 2.00 | | |
| streptophylla | | 3.50-7.50 | | |
| stricta | | 7.50 | | |
| tenuifolia | | 1.50 | | |
| tricolepsis | | 1.00 | | |
| tricolor var. melanocrater | | 1.00 | | |
| VRIESEA species | | | | |
| carinata - - - - - | | mature | 3.50 | |
| corcovadensis | | 2.50 | 3.50 | |
| fenestralis | 3.50 | 5.00 | 7.50-10.00 | |
| heliconioides | 2.50 | 5.00 | 7.50 | |
| hieroglyphica | | 7.50 | 10.00 | |
| imperialis - - - - - | 2.50 | 35.00 | | |
| malzinei | 2.00 | 3.50 | 5.00 | 7.50 |
| petropolitiana | 5.00 | 7.50 | | |
| var. rubra (limited) | 5.00 | 7.50 | | |
| platynema var. variegata | 5.00 | 7.50 | | |
| procera var. rubra | | 10.00 | | |
| regina | | 10.00 | | |
| rodrigasiana - - - - - | | 5.00 | | |
| sanguinolenta | 1.25 | 2.00 | | |
| saundersii | 3.50 | 5.00 | | |
| schwakeana (kitteliana) | 5.00 | 7.50 | | |

FANTASTIC GARDENS
9550 S. W. 67th Avenue
Miami, Florida 33156

1963-1964 Growers Supply List

| | | |
|---|------------------------------|---------|
| Tree-fern materials | | |
| coarse shredded or chunks | - 2 cubic-foot box | \$ 5.25 |
| baskets (hangers extra) | | |
| 8" x 8" x 4" | - round or square | 1.10 |
| 10" x 4" | - round only | 1.50 |
| 12" x 4" | - round only | 1.75 |
| 6"-- 8" x 2" | - round disk baskets | 1.00 |
| 10"--12" x 2" | - round disk baskets | 1.25 |
| | - ball pot (approx. 4" dia.) | .90 |
| slabs - approx. 1½" thick | | |
| 8" x 8" | | .60 |
| 10" x 12" | | 1.00 |
| 12" x 12" | | 1.25 |
| Galvanized wall hangers for pots | | .25 |
| Double pot hangers - 22" long for clay pots - galv. | | .30 |
| Single pot hangers - 22" long for clay pots - galv. | | .15 |
| Galvanized 3-wire basket hangers - 28" length | | .15 |
| Plastic tubing - 8" lengths only - can be slit for use on existing baskets or on pot hangers | | |
| | 12 pcs. | .15 |
| | 100 pcs. | .75 |
| | 500 pcs. | 2.00 |

Vol. I

| | |
|--|------|
| Book - "BROMELIADS IN CULTIVATION" by Robert G. and Catherine Wilson (shipped separately from plants and supplies)- | 6.50 |
| For domestic U. S. postage add- | .25 |
| For overseas boat mail add | 1.00 |

TERMS: Cash with order. All prices are FOB our nursery, and shipment will be made REA Express Collect, unless sufficient funds are included to cover other means of shipment. Minimum order is \$5.00 including both plants and supplies. Florida residents add 3% sales tax on books and supplies.

FOREIGN SHIPMENTS: Plants and supplies will be sent by Air Freight Collect, unless prior arrangements are made for other means of shipment. All necessary phyto-sanitary certificates will be provided. However, we MUST have evidence of permission to import plants issued by the country of destination. Please add 20% for packing, certification and transportation to airport - minimum charge \$20 - maximum charge \$40. All payments must be by draft on a United States bank, and must be submitted with order.